Northwestern Water and Sewer District 2024 McClure Westside Water Main Replacement WL-2906

ADDENDUM 5

July 30, 2024

Planholders of the Northwestern Water and Sewer District 2024 McClure Westside Water Main Replacement, WL-2906, project are hereby notified of the following amendments to the Contract Documents. This Addendum is hereby made a part of the Contract Documents.

SPECIFICATIONS

Page C-410-6 - C-410-8

Remove the Bid Form in its entirety and replace with the attached Bid Form.

DRAWINGS

Replace Sheet G-0.3 with the attached sheet that shows updated 8-inch Water Main, Type B and C quantities.

QUESTIONS

The following questions were submitted to the Engineer. The answers provided below are for the clarification of Bidders questions. Questions have been paraphrased for brevity.

Question #1 – Can the bid form be provided in Excel format?

A link to an updated excel bid form to download is below.

https://tinyurl.com/2rf7ea5b

RECEIPT OF THIS ADDENDUM MUST BE ACKNOWLEDGED ON PAGE C-410 - 1 OF THE BID.

Bidder acknowledges that (1) each Bid Unit Price includes an amount considered by Bidder to be adequate to cover Contractor's overhead and profit for each separately identified item, and (2) estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all unit price Bid items will be based on actual quantities, determined as provided in the Contract Documents.

ITEM NO.	ITEM DESCRIPTION	ESTIMATED AMOUNT	UNIT	UNIT PRICE II NUMBERS	UNIT PRICE IN WORDS	MATERIAL UNIT PRIC NUMBERS	E IN	LABOR UNIT PRICE IN NUMBERS		TOTAL ESTIMATED COST OF ITEM IN WORDS	TOTAL ESTIMATED COST OF ITEM	1			
1	Mobilization and Demobilization	1	LS												
2a	4-inch Water Main, Type B	210	LF												
2b	4-inch Water Main, Type C	100	LF												
2c	6-inch Water Main, Type B	40	LF												
2d	6-inch Water Main, Type C	100	LF												
2e	8-inch Water Main, Type B	5580	LF												
2f	8-inch Water Main, Type C	1165	LF												
2g	8-inch Water Main, Trenchless	430	LF												
2h	Water Main Abandoned - Grout Filled	180	LF												
	Connection to Existing Water Mains 12-inch and Smaller (Without Tapping)	10	EA												
2j	Existing Water Main Plugged	7	EA												
2k	Water Main Termination and Abandonment	10	EA												
21	4-inch Gate Valve and Box	1	EA												
3a	6-inch Gate Valve and Box	1	EA												
3b	8-inch Gate Valve and Box	19	EA												
3c	8-inch by 8-inch Tapping Sleeve, Valve and Box	1	EA												
3d	Valve Box Abandoned	3	EA												
3e	Valve Box Removed	2	EA												
4a	Fire Hydrant Assembly, Type A	8	EA												
4b	Fire Hydrant Assembly, Type B	7	EA												
4c	Fire Hydrant Assembly Removed	9	EA												

ITEM NO.	ITEM NO. ITEM DESCRIPTION		UNIT PRICE IN NUMBERS			UNIT PRICE IN WORDS	MATERIAL UNIT PRIC	E IN	LABOR UNIT PRICE IN NUMBERS	TOTAL ESTIMATED COST OF ITEM IN WORDS	TOTAL ESTIMATED COST OF ITEM		
5a	Water Service (Less than 2-inch diameter)	1725	LF										
5b	Water Service Trenchless (Less than 2-inch diameter)	1135	LF										
5c	Water Service Connection Reinstated (Less than 2-inch diameter)	80	EA										
5d	Water Meter Pit Installation	80	EA										
6a	Flexible Pavement Trench Repair - Residential Roadway	2220	SY										
6b	Flexible Pavement Trench Repair - Driveway	30	SY										
6c	Temporary Pavement Repair	2240	SY										
6d	ODOT Item 411 Stabilized Crushed Aggregate (Berm and Drive)	410	SY										
6e	Flexible Pavement Planing and Resurfacing	10970	SY										
7a	6-inch ODOT Item 452 Non-Reinforced Concrete Pavement, Class MS (Residential Drive Approach)	160	SY										
7b	4-inch Concrete Sidewalk	761	SF										
8a	Sewer Repair (Less than or equal to 10-inch diameter)	100	LF										
8b	Sewer Repair (12-inch diameter to 18-inch diameter)	50	LF										
9	Video Recording of the Zone of Influence	1	LS										
10	Maintenance of Traffic	1	LS										
11	Storm Water Pollution Prevention	1	LS										
12	Clearing and Grubbing	1	LS										
13a	Remove and Replace Sign	10	EA										
13b	Remove and Replace Mailbox	12	EA										
13c	Remove and Replace Post	5	EA										
Allowand	Tree Removal and Landscaping Restoration	1	LS							Ten Thousdand Dollars and Zero Cents	\$10,000.0		

Northwestern Water Sewer District 2024 McClure Westside Water Main Replacement WL-2906

ITEM NO.	HEMIDESCRIPTION		UNIT	UNIT PRICE IN NUMBERS	UNIT PRICE IN WORDS	MATERIAL UNIT PRICE IN NUMBERS	LABOR UNIT PRICE IN NUMBERS	TOTAL ESTIMATED COST OF ITEM IN WORDS	TOTAL ESTIMATED COST OF ITEM
Allowance Util	ity Pole Holding	1	LS					Five Thousand Dollars and Zero Cents	\$5,000.00
Total Estimated Construction Cost:									

}																										}
}																							-	_ _	5	{
	Plan	Contigency	Grand			1.7	-1.2	-1.3	-1.4	-2.1		3.2	4.	-5.1	-5.2	-5.3	-6.1	-6.2		-7.2	8.1	8.2	9.7	÷ ÷	1.	
Item No.	Quantity	Quantity	Total	Unit	Description	X	×	``	\$	W-2	W-2	× ×	≥	Š	≶	≽	՛≯	≱	W-7	W-7	8- M	\$ 3	≷ }	Š Š	≶	
1	1	0	1	LS	Mobilization and Demobilization	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 /	0 () 0	0	1.
2a	202	8	210	LF	4-inch Water Main, Type B	0	0	7	0	0	0	0 0	3	0	0	9	0	0	0	0	0	0 /	0 1	78 5	0	1
2b	0	100	100	LF	4-inch Water Main, Type C	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 /	0 () 0	0	1
2c	31	9	40	LF	6-inch Water Main, Type B	0	0	0	0	0	0	0 0	4	0	0	0	23	2	0	2	0	0 /	0 () 0	0	1
2d	0	100	100	LF	6-inch Water Main, Type C	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 /	0 () 0	0	1
2e	5563	17	5580	LF	8-inch Water Main, Type B			389	181	306	46 2	03 79	232		564		423	516	446 1			149	0 1	7 209	243	1
2f	1065	100	1165	LF	8-inch Water Main, Type C	227	0	80	0	184	0	0 0	0	0	255	264	0	0	0	0	55	0 /	0 () 0	0	
2g	420	10	430	LF	8-inch Water Main, Trenchless	0	0	93	0	0	0 6	0 0	0	0	0	0	0	0	0	0	0	0 /	0 (0 267	0	{
2h	173	7	180	LF	Water Main Abandoned - Grout Filled	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	3 0	81 9	2 0	0	
) 2i	10	0	10	EA	Connection to Existing Water Mains 12-inch and Smaller (Without Tapping)	0	0	1	1	0	0	0 0	2	1	0	1	1	1	0	1	0	0 /	0	1 0	0	<
> 2j	7	0	7	EA	Existing Water Main Plugged	1	0	0	0	0	0	0 0	0	0	0	0	2	0	0	0	0	2	1 /) 1	0	/ <
2k	10	0	10	EA	Water Main Termination and Abandonment	0	0	1	1	0	0	0 1	1	1	0	1	0	1	0	0	0	0	1	1 1	0	1 1
21	1	0	1	EA	4-inch Gate Valve and Box	0	0	1	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0 /) 0	0	\
> 3a	1	0	1	EA	6-inch Gate Valve and Box	0	0	0	0	0	0	0 0	0	0	0	0	1	0	0	0	0	0	0 /) 0	0	,
> 3b	19	0	19	EA	8-inch Gate Valve and Box	1	0	3	1	1	1	0 0	1	1	0	0	1	1	1	0	1	1 (0	1 3	1	1
3c	1	0	1	EA	8-inch by 8-inch Tapping Sleeve, Valve and Box	0	0	0	0	0	0	0 1	0	0	0	0	0	0	0	0	0	0 /	0 /) 0	0	
3d	3	0	3	EA	Valve Box Abandoned	0	0	0	0	0	1	0 1	0	0	0	0	0	1	0	0	0	0	0) 0	0	(
3e	2	0	2	EA	Valve Box Removed	0	0	0	0	0	0	0 0	0	1	0	0	1	0	0	0	0	0	0) 0	0	•
9 4a	8	0	8	EA	Fire Hydrant Assembly, Type A	0	0	0	1	0	0	1 0	0	0	1	0	1	2	1	0	0	0	0) 0	1	1 3
} 4b	7	0	7	EA	Fire Hydrant Assembly, Type B	1	1	1	0	1	1	0 0	1	0	0	0	0	0	0	0	0	1	0 /) 0	0	
4c	9	0	9	EA	Fire Hydrant Assembly Removed	1	1	0	0	1	0	1 0	1	0	1	0	1	1	0	0	0	1	0) 0	0	{
> 5a	1714	11	1725	LF	Water Service (Less than 2-inch diameter)	66	182	99	0	217	0 6	9 0	131	24	285	143	80	47	177	30	82	0	0	0 68	14	1 3
5b	1083	52	1135	LF	Water Service Trenchless (Less than 2-inch diameter)	373	340	0	0	370	0	0 0	0	0	0	0	0	0	0	0	0	0	0) 0	0	{
5c	80	0	80	EA	Water Service Connection Reinstated (Less than 2-inch diameter)	6	9	2	0	11	0	3 0	3	1	9	5	5	4	6	1	4	0	0) 9	2	
> 5d	80	0	80	EA	Water Meter Pit Installation	6	9	2	0	12	0	2 0	3	1	9	5	5	4	6	1	4	0	0) 9	2	<
> 6a	2208	12	2220	SY	Flexible Pavement Trench Repair - Residential Roadway	103	56	141	60	139	25 2	78 60	49	97	197	54	82	153	300 1	115	48	0	7 9	9 39	106	{
> 6b	18	12	30	SY	Flexible Pavement Trench Repair - Driveway	0	0	12	0	0	0	0 0	0	0	2	4	0	0	0	0	0	0	0) 0	0	{
→ 6c	2226	14	2240	SY	Temporary Pavement Repair	103	56	153	60	139	25 2	78 60	49	97	199	58	82	153	300 /	115	48	0	7 9	9 39	106	
6d	399	11	410	SY	ODOT Item 411 Stabilized Crushed Aggregate (Berm and Drive)	0	58	35	0	12	0	0 0	104	0	38	0	24	12	0	0	103	13	0) 0	0	<
6e	10952	18	10970	SY	Flexible Pavement Planing and Resurfacing	834	999	1314	316	930	87 13	328 475	157	185	911	592	490	636	407	197	707	0	0 1	52 53	182	
}					6-inch ODOT Item 452 Non-Reinforced Concrete Pavement, Class MS																					{
7a	148	12	160	SY	(Residential Drive Approach)	0	0	0	17	0	0	0 0	0	0	41	66	24	0	0	0	0	0	0) O	0	•
7b	117	644	761	SF	4-inch Concrete Sidewalk	0	22	95	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0) 0	0	{
8a	85	15	100	LF	Sewer Repair (Less than or equal to 10-inch diameter)	5	10	5	0	10	0 1	0 5	5	5	0	5	0	10	5	0	5	5	0) 0	0	{
> 8b	40	10	50	LF	Sewer Repair (12-inch diameter to 18-inch diameter)	10	5	5	0	5	0	0 0	5	0	0	0	0	0	0	0	0	5	0	5 0	0	1 3
9	1	0	1	LS	Video Recording of the Zone of Influence	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0) 0	0	{
10	1	0	1	LS	Maintenance of Traffic	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0) 0	0	
11	1	0	1	LS	Storm Water Pollution Prevention	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	<u>)</u>	0	1 3
12	1	0	1	LS	Clearing and Grubbing	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	5 0	0	
) 13a	0	10	10	EA	Remove and Replace Sign	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	5 0	0	
13b	7	5	12	EA	Remove and Replace Mailbox	1	0	0	0	1	0	0 0	0	0	0	1	3	0	1	0	0	0	0) 0	0	
13c	1	4	5	EA	Remove and Replace Post	0	1	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	5 0	0	
\$	~	2			• • • • • • • • • • • • • • • • • • •															+		$\overline{}$	——			1
Allowance	1	0	1	LS	Tree Removal and Landscaping Restoration	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0 0) O	0	{
<u> </u>																										\ ا
Allowance	1	0	1	LS	Utility Pole Holding	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0 (0 0	0	•



JOB NO. 796-8126.001 NONE THIS LINE SCALES I" WHEN PLOTTED TO NOTED SCALE

ISSUED FOR BID JUNE 2024 SHEET NO. G-0.3

3 of 50